




SCHAUSPIELHAUS GRAZ

Hofgasse 11

8010 Graz

T +43 316 8008-44

tickets@ticketzentrum.at
www.schauspielhaus-graz.com


Accessibility Public transport

Please use the route planner of Verbundlinie Steiermark::

<https://verkehrsankunft.verbundlinie.at/>

Free travel: The ticket for the Schauspielfhaus is valid as a free ticket on all lines of the Styrian public transport network! The promotion is valid from 3 hours before to 7 hours after the start of the performance. <https://www.buehnen-graz.com/freiefahrt/>

Public car parks

- 2 disabled parking spaces at Freiheitsplatz (3.5 m wide), marked (sign and floor markings), approx. 50 m to the entrance
- 2 disabled parking spaces in Hofgasse in front of the Old University (parallel to the road), marked (sign and floor markings), approx. 50 m level path to the entrance
- 2 Disabled parking space in Hofgasse opposite the cathedral (parallel to the road), marked (sign and floor markings), approx. 100 m to the main entrance or a few metres to the side entrance („Schauraum“)

General information

- 3 stages: „Schauspielfhaus“, „Schauraum“ and „Konsole“
- Seats for wheelchair users in all three auditoriums
- Inductive hearing system in the „Schauspielfhaus“
- Assistance dogs welcome in every performance after registration
- Performances with audio description and tactile introduction on a regular basis
- occasional afternoon performances with childcare
- Occasional performances with surtitles in German or English, other languages planned

- discounts for people with disabilities, children, young people, pupils and students
- Doctor's room on the 1st floor of the main building (**door threshold 6 cm, clear door width 67 cm**)
- Theatre doctor and company fire brigade present
- **No orientation plan available**
- Evacuation concept for people with disabilities in place; the staff and company fire brigade are informed if people with walking disabilities are in the audience
- In the stairwell of the Schauspielhaus and the Schauraum, there are designated resting places for people in wheelchairs (with an emergency call and intercom system)
- Acoustic alarm system available
- Optical alarm system: flashing light only at porter's lodge and outside the building



Space for wheelchair users
at the Schauspielhaus



Space for wheelchair users
at the Schauraum

INFORMATION FOR WHEELCHAIR USERS AND PEOPLE WITH REDUCED MOBILITY

SCHAUSPIELHAUS CAR PARK

- A car park can be offered directly at the Schauspielhaus site after registration
- There is a bollard at the entrance (must be opened from the porter's lodge)
- marked with wheelchair signs on the floor, at least 350 cm wide
- **Car park and path to the entrance not covered**
- Path to the entrance without thresholds, easily accessible with a wheelchair (asphalt), longitudinal gradient up to 3.6%
- **Path not illuminated throughout**

MAIN ENTRANCE (HOFGASSE)

Evening box office, access „Schauspielhaus“ and „Konsole“

Barrier-free access via ramp;

alternatively level access (with small threshold) via café (entrance from Freiheitsplatz)

- roofed, sufficiently and glare-free illuminated
- Grating in front of the entrance and dirt-trapping mat in the vestibule can be easily accessible with a wheelchair
- **Threshold of 3 cm**
- free from obstacles

Ramp (to the left of the steps)

- Width min. 120 cm, non-slip ramp profile
- leads round the corner once, with intermediate platform
- **Longitudinal gradient at the beginning 8.6%**, then max. 6%; transverse gradient 0.4%
- Total length max. 10 m
- At least 150 x 150 cm manoeuvring space at the start and end of the ramp
- Handrail on the left, **not along the entire length of the ramp** (only on the first section)
- **Handrail top edge at 126 cm height** (standard 85 - 90 cm), **not easy to grip** (angular)
- Wheel deflectors (wall) on both sides of the ramp
- **Ends of the ramp not marked in contrasting colours, no contrasting surface change**

3 steps

- max. 16 cm high, first step is lower
- 32 cm deep, straight
- **Steps not designed with high contrast**
- Step width 163 cm, **protruding slab steps**
- Handrail only at the steps in the archway on the far right
- height between 85 - 105 cm, **not easy to grip (angular)**

Doors

- Of the three entrance doors, the first after the ramp (far left) is automated and can be operated with a door opening button
- **the centre and right-hand entrance doors swing through**
- Due to the vestibule, there are two successive hinged doors
- The automated door opens prematurely and closes with a time delay
- **Swivelling range not marked on the floor**
- Door opening push-button clearly visible and at standard height
- Approach area of at least 150 x 150 cm on both sides of the doors
- On the opening and closing side, a side approach area of at least 50 cm is required next to the door handle.
- Glass doors (**not sufficiently marked**)
- Door opening side labelled
- Clear passage width 103 cm, **doorstop 3 cm high** (only for the outer door)



Ramp to main entrance



Automated entrance doors on the left

LEVEL ENTRANCE VIA THE CAFÉ (FREIHEITSPLATZ)

- Roofed, path to the entrance easily accessible with a wheelchair (asphalted)

Vestibule

- Outside door: **swinging glass door** (unmarked), usually open in summer
- double-leaf, door opening 2 x 75 cm, **small threshold**
- Vertical door bar inside and outside, **not easy to open**
- Dirt-trapping mat easily accessible with a wheelchair
- Inner door: hinged door made of glass (**without markings**), double-leaf, door opening 2 x 75 cm
- Approach area of 150 cm diameter in front of the 2nd door **not given**
- Outside lever handle, inside panic bar, **not easy to open**

Access from the café to the foyer

- Glass **swing door** (with markings)
- double-leaf, door opening 2 x 85 cm, no doorstop
- Door handle at a height of 110 cm, **not very easy to open**



Entrance via the café



From the café to the foyer

FOYER

- Sufficient space in the foyer

Graz Tourismus und Stadtmarketing GmbH

Messeplatz 1/Messturm

8010 Graz | Austria

T +43 316 8075 0

www.graztourismus.at

Cash desk

- Ticket counters accessible without thresholds
- **No lowered space** at checkout with **max. 85 cm height, no under-desk wheelchair access**
- **Visual and voice contact between person in wheelchair and contact person not possible**
- Movement area of at least 150 x 150 cm in front of the counter
- Credit card machine can be used at a height of 80 - 110 cm
- Price boards **higher than 120 cm**
- Passageway at the checkout area at least 90 cm wide
- Seating options also available (**without armrests and backrests**), seat height 46 cm



Box office

Cloakroom

- level and accessible without thresholds
- the cloakroom is always staffed
- Sufficient shelves, **at a height of 91 cm** (standard max. 85 cm)
- **no under-counter wheelchair access**

„Minibar“ in the foyer

- opens one hour before the performance starts
- **No lowered space** at the counter
- Movement area of at least 150 x 150 cm in front of the counter
- No tables

Café „Hausbar“

- Entrance see above
- No lowered space at the counter
- Free height under tables 71 cm, top edge of table at 74.5 cm height, **but due to the centre legs the wheelchair accessible depth of at least 60 cm is not given**
- Seating with sturdy backrests, seat height 47 cm
- Sufficient passage widths



Bar in the foyer



Cloak room

SCHAUSPIELHAUS MAIN STAGE

ACCESS FROM THE FOYER TO THE SEATS ON THE GROUND FLOOR

3 steps

- max. 16 cm high (all steps the same height), min. 120 cm wide, 31 cm deep
- Handrail on both sides, at standard height, **not easy to grip** (angular profile)
- Handrail continues at both ends of the staircase for at least 30 cm, freely projecting ends continue downwards or to the side

Lifting platform (overcomes the 3 steps)

- level access, at least 150 x 150 cm space before and after the lifting platform
- staff is next to it and opens the door to the lifting platform if required
- Door width at lifting platform: 97 cm
- Platform dimensions: 136 x 160 cm
- Control elements at standard height
- Wheel deflector available (wall)
- Conveying height max. 2 m

Doors

- Standard hinged door, 170 cm wide
- **Doorstop 2 cm high** (one-sided only)
- 150 x 150 cm space in front of and behind the door

AUDITORIUM

- 2 wheelchair spaces (out of a total of 530 seats) in the back row on the ground floor (3rd price category)
- near the barrier-free exit
- Wheelchair space at least 100 cm wide and 120 cm deep
- Area of 150 x 150 cm provided for access to the spaces
- Wheelchair spaces **not labelled**
- horizontal view and unobstructed view of the stage from these seats
- In addition to the wheelchair spaces, places are provided for any accompanying persons
- there are seats with extended legroom in the front row, on the edge and in the boxes



Lifting platform and steps to the seats on the ground floor




Wheelchair spaces

LIFT FOYER

leads to the 1st, 2nd and 3rd tiers of the “Schauspielhaus” and to the „Konsole“

- Accessible without thresholds, manoeuvring space of at least 150 x 150 cm in front of entry and exit
- Passage width lift door 90 cm, light barriers at max. 100 cm height
- Car at least 110 x 140 cm in size
- No descending staircase opposite the lift door
- Push buttons in the immediate vicinity of the lift door
- Command button and also emergency call button at standard height
- Position indicator in the car at standard height
- Handrail available
- Mirror available, **but too high** (standard = 30 cm above floor edge)



Lift Schauspielhaus

STAIRCASE FOYER

to the 1st, 2nd and 3rd tier of the Schauspielhaus

- Straight steps, max. 16 cm high (all steps the same height), 131 cm wide, 31 cm deep
- Platform after max. 20 steps
- Handrail on both sides, continuous, **at a height of 103 cm** (standard 85 - 90 cm), **not easy to grip** (angular profile)
- Handrail at both ends of the stairs **not extended by at least 30 cm**, freely projecting ends are extended downwards or sideways

BARRIER-FREE WC IN THE FOYER

- Shared access with ladies' WCs, but barrier-free WC separate from these
- Barrier-free WC labelled (door sign at standard height)
- Movement space of 150 x 150 cm in the WC room (including wheelchair access to the washbasin)

Access door from the foyer

- Hinged door with 86 cm door clearance, threshold-free
- Easy to open, **with door closer**
- Lever handle at standard height, no turn, knob or shell handle



Barrier-free WC in the foyer

- At least 200 x 150 cm space on the opening side of the door, **only 120 cm wide** on the closing side due to the anteroom situation (standard at least 150 cm diameter)
- 50 cm side approach area next to the lever handle on the opening side, **only 28 cm on the closing side**

WC door

- Hinged door, easy to open, no door closer
- 90 cm passage width, without threshold
- Lever handle at standard height, no turn, knob or shell handle
- WC door opens outwards, can be unlocked from the outside in an emergency
- **200 x 150 cm approach area not available on the opening side of the door** (length only 150 cm)
- Approach area of at least 150 x 120 cm available on the closing side
- 50 cm side approach area next to the lever handle on the opening side, just short of this on the closing side
- Horizontal door pull handle on the closing side

WC

- at least 120 cm of manoeuvring space in front of the WC
- WC height 48 cm, can be approached from the left, 103 cm space on this side for approaching
- Distance from the front edge of the WC to the back wall 68cm, **no back support**
- Horizontal grab rails on both sides, hinged on the approach side
- Distance between grab rails 65 - 70 cm, upper edge at standard height
- Grab rails protrude at least 15 cm beyond the front edge of the WC
- the folded-up grab rail protrudes a maximum of 20 cm into the room
- Folding support handle is easy to use and securely attached to the wall
- Additional vertical grab rail
- Flush at standard height, accessible from a seated position in the WC
- Paper accessible from the WC while seated
- Emergency bell accessible from the WC while seated and also accessible from the floor at a height of max. 35 cm (emergency call leads to the porter)

Washbasin

- Movement area of just under 150 x 150 cm in front of the washbasin
- Top edge of washbasin at a height of 80 - 85 cm, free height below at least 70 cm
- wheelchair accessible over a width of at least 100 cm
- Flat plaster siphon made of plastic
- Depth to wall complies with standard, distance of the tap (single-lever tap) to the front edge of the washbasin 20 - 35 cm

Miscellaneous

- Mirror: lower edge at 85 cm height
- Operating level of fittings (soap dispenser, towel dispenser, etc.) at standard height
- Disinfectant available
- Waste bin can also be operated with one hand
- Coat hooks at a maximum height of 120 cm
- **No changing table available**

„SCHAURAUM“

Side entrance in the courtyard (from Hofgasse)

ENTRANCE

- the main entrance is also the barrier-free entrance
- roofed, without thresholds and free of obstacles
- Hinged door made of glass, clear width min. 90 cm
- Door handles at standard height (no turning or recessed handles)
- Vestibule: manoeuvring space on both sides of the door 150 x 150 cm
- **Door closer**
- Doorbell **too high** (117 cm high instead of standard 85 - 110 cm)
- Dirt-trapping mat or grating easily accessible with a wheelchair

STAIRLIFT (to overcome the 4 steps leading to the lift)

- level access, at least 150 x 150 cm space in front of entry and exit
- Controls at standard height; wheel deflector available
- Platform dimensions: min. 80 cm wide, min. 100 cm deep
- Porter or public service are happy to help
- Conveying height: one half-storey



Entrance „Schauraum“



Stairlift

LIFT

- Access to the lift via **4 steps or stair lift** (see above)
- Movement area of at least 150 x 150 cm in front of entry and exit
- Passage width lift door 90 cm, light barriers at max. 100 cm height
- No descending stairs opposite the lift door
- Car size: 177 x 240 cm
- Push buttons are located in the immediate vicinity of the lift door
- Emergency call and command buttons at standard height
- Short handrail available
- Position indicator slightly too low

STAIRCASE

- Steps straight, max. 16 cm high (all steps the same height), min. 120 cm wide, min. 30 cm deep
- Platform after max. 20 steps
- Handrail on both sides, **higher than standard** (85 - 90 cm), **not easy to grip** (angular profile)
- Handrail runs through the staircase eye, **the other does not run through**
- Handrail at both ends of the stairs **not extended by at least 30 cm**

CASH DESK, CLOAKROOM & LOCKERS (1ST FLOOR)

- Fixed folding seats in the waiting area
- Cloakroom and lockers accessible without thresholds
- Clothes rail and hooks **higher than 120 cm**
- Staff is helpful
- Lockers at different heights, some usable for wheelchair users
- **Locker doors cannot be opened 180 degrees**
- Movement area in front of lockers just under 150 cm in diameter



Staircase and folding seats



Cloak room

„SCHAURAUM“ (3RD FLOOR)

- There are three fixed folding seats in the waiting area in front of the entrance
- Double-leaf hinged door, active leaf has 90 cm clearance
- **Door threshold 2 cm high** (no threshold on both sides)
- Sufficient space on both sides of the door for starting up
- Lever handle at standard height, **door closer**
- Flexible seating, therefore no fixed wheelchair spaces
- There are 3 seats in the front row with extended legroom for people with reduced mobility (labelled)
- the podium and seats in the front rows are lower; they are accessible via 3 steps or a mobile ramp
- Aisle width to wheelchair spaces min. 120 cm
- horizontal view and unobstructed view of the stage from these seats
- Seats for accompanying persons possible directly next to wheelchair spaces



Mobile ramp



Schauraum



Wheelchair spaces or seats with extended legroom (variable)

BARRIER-FREE WC ON THE 1ST FLOOR OF THE „SCHAURAUM“

- Accessible by lift
- the barrier-free WC is located in the ladies' WC
- Movement area of 150 x 150 cm guaranteed in the WC room

Door to WC

- Hinged door, easy to open, **door closer**
- Passage width 97 cm, **1 cm door threshold**
- Approach area of **140 x 150 cm** on the door opening side (standard min. 200 x 150 cm), min. 150 x 120 cm on the closing side
- Lateral approach area of at least 50 cm on the opening and closing side next to the door handle
- Lever handle at standard height



Barrier-free WC 1st floor

WC door

- Hinged door, easy to open, no door closer
- Passage width 85 cm, without threshold
- Approach area of **170 x 150 cm** on the door opening side (standard min. 200 x 150 cm), min. 150 x 120 cm on the closing side
- On the opening side next to the door handle, there is a side approach area of at least 50 cm, **not on the closing side** as the washbasin is located directly next to it
- Lever handle at standard height, additional horizontal pull handle on the closing side
- Door opens outwards and can be unlocked from the outside in an emergency

WC

- Accessible from the left, **86 cm space** on this side (standard min. 90 cm)
- At least 120 cm space in front of the toilet bowl for approaching
- Distance from the front edge of the WC to the rear wall to be approached at least 65 cm
- WC at standard height (46 - 48 cm)
- Back support available
- Horizontal grab rails on both sides (can be folded up on the approach side), at standard height, easy to operate and securely fastened
- **Distance between the grab rails 76 cm** (standard 65 - 70 cm)
- Grab rails protrude at least 15 cm above the front edge of the WC
- Folded-up grab rail protrudes max. 20 cm into the room
- Additional vertical grab rail
- Paper accessible from a seated position in the toilet (in the folding support handle), flush at standard height
- Emergency bell accessible from the WC while seated (emergency call leads to the porter)
- Emergency bell accessible from the ground at a height of max. 35 cm

Washbasin

- **Only 126 x 150 cm manoeuvring space** in front of the washbasin (standard min. 150 x 150 cm)
- Clear height under washbasin at least 70 cm, wheelchair accessible width at least 100 cm
- **Top edge** at a height of **89 cm** (standard 80 - 85 cm)
- Touchless tap, distance of the tap to the front edge of the washbasin 20 - 35 cm
- Flat plaster siphon, made of plastic or protected with porcelain
- Mirror lower edge 90 cm high

Miscellaneous

- Operating level of fittings (soap dispenser, towel dispenser, etc.) at standard height
- Coat hooks with a maximum height of 120 cm coming soon
- Waste bin can also be operated with one hand
- No changing table available
- Disinfectant available

BARRIER-FREE WC ON THE 3RD FLOOR OF THE „SCHAURAUM“

- Accessible by lift
- the barrier-free WC is the ladies' WC
- **Movement area in the WC room only 100 x 150 cm** (standard min. 150 x 150 cm)



Barrier-free WC 3rd floor

Door

- Hinged door, easy to open, no door closer
- Passage width 90 cm, without threshold
- On the door opening side, an approach area of at least 200 x 150 cm is guaranteed, on the closing side of at least 150 x 120 cm
- Lateral approach area of at least 50 cm on the opening and closing side next to the door handle
- Lever handle at standard height, additional horizontal pull handle on the closing side
- Door opens outwards and can be unlocked from the outside in an emergency

WC

- Accessible from the left, 115 cm space on this side
- **Less than 120 cm space in front of the toilet bowl to approach**
- Distance from the front edge of the WC to the rear wall to be approached at least 65 cm
- WC at standard height (46 - 48 cm)
- **No back support available**
- Horizontal grab rails on both sides (can be folded up on the approach side), at standard height, easy to operate and securely fastened
- **Distance between the grab rails 76 cm** (standard 65 - 70 cm)
- Grab rails protrude at least 15 cm above the front edge of the WC
- Folded-up grab rail protrudes max. 20 cm into the room
- **No additional vertical grab rail**
- Paper accessible from a seated position in the toilet (if you lean forward) Flush at standard height
- Emergency bell accessible from the WC while seated (leads to the porter)
- Emergency bell accessible from the ground at a height of max. 35 cm

Washbasin

- **Only 100 x 100 cm manoeuvring space** in front of the washbasin (standard min. 150 x 150 cm)
- Clear height under washbasin min. 70 cm, wheelchair accessible width min. 100 cm, depth standard
- Top edge at standard height
- Flat plaster siphon, made of plastic or protected with porcelain
- Single lever fitting
- Mirror lower edge max. 95 cm high

Miscellaneous

- Operating level of fittings (soap dispenser, towel dispenser, etc.) at standard height
- Light switch at standard height
- Waste bin can also be operated with one hand
- No changing table available

„KONSOLE“

- Access via stairs directly in the café or via lift from the foyer (see above)

STAIRCASE

- Steps straight, max. 16 cm high (all steps the same height), 140 cm wide, 31 cm deep
- Platform after max. 20 steps
- Handrail on both sides, continuous, **higher than standard (85 - 90 cm), not easy to grip (angular profile and only 3 cm diameter)**
- Handrail at both ends of the stairs **not extended by at least 30 cm**

HALL

- Flexible seating



Konsole

INFORMATION FOR BLIND AND VISUALLY IMPAIRED PEOPLE

SCHAUSPIELHAUS CAR PARK AND OUTSIDE PATHS

- A car park can be offered directly at the Schauspielhaus site after registration
- There is a bollard at the entrance (must be opened from the porter's lodge)
- Bollard height at least 90 cm
- **Car park and path to the entrance not covered**
- **Path not illuminated throughout**
- **Pavement markings not easily recognisable with a cane**
- Free height under signs at least 220 cm

MAIN ENTRANCE (HOFGASSE)

Evening box office, access „Schauspielhaus“ and „Konsole“

- roofed, sufficiently and glare-free illuminated
- free from obstacles

3 levels

- max. 16 cm high, first step is lower
- 32 cm deep, straight
- Steps **not designed with high contrast**
- Step width 163 cm, **protruding slab steps**
- Handrail only at the steps in the archway on the far right or at the ramp on the far left **(not continuous)**
- Handrail height between 85 - 105 cm, **not easy to grip (angular)**

Doors

- Of the three entrance doors, the first after the ramp (far left) is automated and can be operated with a door opening button
- **the centre and right-hand entrance doors swing through**
- Due to the vestibule, there are two successive hinged doors
- The automated door opens prematurely and closes with a time delay
- **Swivelling range not marked on the floor**
- Door opening push-button clearly visible and at standard height
- Lever handle stands out in contrast to neighbouring components
- Glass doors **(not sufficiently marked)**
- Door opening side labelled

FOYER

Cash desk

- stands out visually in contrast to its surroundings and is easy to recognise
- Ticket counter **not tactilely locatable**
- Glare-free and illuminated according to the area of use
- Price boards and information in large font, high-contrast design
- **No tactile information**

Wardrobe

- Cloakroom always staffed, staff happy to help

„Minibar“ in the foyer

- opens one hour before the performance begins
- No tables

Café „Hausbar“

- Entrance see above
- Glass doors **difficult to open, not sufficiently marked**
- Also tables with noise reduction

HALL

- **Access not tactile**
- Access from the foyer to the ground floor via 3 steps
- Steps max. 16 cm high (all the same height), min. 120 cm wide, 31 cm deep
- Handrail on both sides, at standard height, **not easy to grip** (angular profile)
- Handrail is extended by at least 30 cm at both ends of the staircase, freely projecting ends are extended downwards or sideways
- Doors Standard hinged doors
- Glare-free and evenly lit room
- Performances with audio description and tactile introduction are offered time and again
- there is audible information during the event (gong, pre-recorded announcements)

LIFT FOYER

leads to the 1st, 2nd and 3rd tiers of the Schauspielhaus and to the „Konsole“

- **No tactile storey labelling**
- Push buttons at the stops are located in the immediate vicinity of the lift door
- tactile push buttons with raised lettering
- Push buttons with Braille inside the lift
- Display in the lift **not large and easy to read** (inside and outside)
- Pressing the push-buttons is audibly confirmed (inside and outside)
- Push button for building exit is highlighted
- Audible announcement in the lift (somewhat quiet)
- Audible signal when the lift arrives

STAIRCASE FOYER

to the 1st, 2nd and 3rd tier of the Schauspielhaus

- Straight steps, max. 16 cm high (all steps the same height), 131 cm wide, 31 cm deep
- Platform after max. 20 steps
- Handrail on both sides, continuous, **at a height of 103 cm** (standard 85 - 90 cm), **not easy to grip** (angular profile)
- Handrail at both ends of the stairs **not extended by at least 30 cm**, freely projecting ends are extended downwards or sideways
- Entry and exit step on the front edge **not designed in a contrasting colour**
- **No tactile attention field** in front of the descending staircase

BARRIER-FREE WC IN THE FOYER

- Shared access with ladies' WCs, but barrier-free WC separate from these
- Barrier-free WC labelled (door sign at standard height)
- **No tactile floor guidelines to the WC**

Access door from the foyer

- clearly perceptible
- Hinged door, easy to open, free of obstacles
- **Door closer**
- Lever handle at standard height, contrasts with neighbouring components

WC door

- Hinged door, easy to open, no door closer
- Lever handle at standard height, contrasts with neighbouring components
- WC door opens outwards, can be unlocked from the outside in an emergency

WC

- Emergency bell available, leads to the concierge
- Emergency bell accessible from a seated position from the toilet, visually contrasting design and tactilely detectable on the cord
- Equipment items stand out visually in contrast to their surroundings

„SCHAURAUM“

- Side entrance in the courtyard (from Hofgasse)

ENTRANCE

- **No tactile floor guidelines**
- roofed, free of obstacles
- Hinged door made of glass (**not marked with sufficient contrast**)
- Door handles at standard height, stand out in contrast to other components
- **Door closer**

LIFT

- Access to the lift via 4 steps or stairlift
- **No tactile storey labelling**
- Push buttons at the stops are located in the immediate vicinity of the lift door
- tactile push buttons with raised lettering (inside and outside)

- Inside and outside push buttons in Braille
- Large and easy to read display in the lift (inside and outside)
- Pressing the push-buttons is audibly confirmed (inside and outside)
- Push button for building exit is highlighted
- Audible announcement in the lift (somewhat quiet)
- Audible signal when the lift arrives
- Handrail available

STAIRCASE

- Steps straight, max. 16 cm high (all steps the same height), min. 120 cm wide, min. 30 cm deep
- Platform after max. 20 steps
- Handrail on both sides, **higher than standard** (85 - 90 cm), **not easy to grip** (angular profile)
- Handrail runs through the staircase eye, **the other does not run through**
- Handrail at both ends of the stairs **not extended by at least 30 cm**
- Handrails stand out from the background in high contrast
- Incoming and outgoing steps on the front edge in contrasting colours

CASH DESK, CLOAKROOM & LOCKERS (1ST FLOOR)

- Fixed folding seats in the waiting area
- Cloakroom and lockers: the staff is there to help
- Locker labelling **not tactile**

„SCHAURAUM“ (3RD FLOOR)

- There are three fixed folding seats in the waiting area in front of the entrance
- **No tactile access**
- Double-leaf hinged door, **door closer**
- Lever handle at standard height, contrasts with neighbouring components
- Room evenly and glare-free illuminated
- During the performance there is audible information such as the interval chime, announcements etc

BARRIER-FREE WC ON THE 1ST FLOOR OF THE „SCHAURAUM“

- Accessible by lift
- the barrier-free WC is located in the ladies' WC (no tactile labelling)
- **No tactile floor guidelines**

Door to WC

- **not clearly perceptible**
- Hinged door, easy to open, **door closer**
- Lever handle at standard height, stands out in contrast to other components

WC door

- Hinged door, easy to open, no door closer
- Lever handle at standard height, contrasts with neighbouring components
- WC door opens outwards, can be unlocked from the outside in an emergency

WC

- Emergency bell available, leads to the doorman; visually contrasting design and tactile detection
- Emergency bell accessible from the WC while seated
- Equipment items stand out visually in contrast to their surroundings

BARRIER-FREE WC ON THE 3RD FLOOR OF THE „SCHAURAUM“

- Accessible by lift
- the accessible WC is the ladies' WC (no tactile labelling)
- **No tactile floor guidelines**

WC door

- Hinged door, easy to open, no door closer
- Lever handle at standard height, contrasts with neighbouring components
- WC door opens outwards, can be unlocked from the outside in an emergency

WC

- Emergency bell available, leads to the doorman; visually contrasting design and tactile detection
- Emergency bell accessible from the WC while seated
- Equipment items **do not stand out visually in contrast to their surroundings**

„KONSOLE“

- Access via stairs directly in the café or via lift from the foyer (see above)

STAIRCASE

- Straight steps, max. 16 cm high (all steps the same height), 140 cm wide, 31 cm deep
- Platform after max. 20 steps
- Handrail on both sides, continuous, **higher than standard (85 - 90 cm), not easy to grip (angular profile and only 3 cm diameter)**
- Handrail at both ends of the stairs **not extended by at least 30 cm**
- Handrails stand out from the background in high contrast
- Incoming and outgoing steps on the front edge in contrasting colours

INFORMATION FOR HEARING IMPAIRED AND DEAF PEOPLE

- **No inductive hearing system** at the ticket counter, communication possible using pen and paper
- In the „Schauspielhaus“ (main stage) there is an induction loop in rows 2-13
- **No induction system or mobile hearing system in the „Schauraum“**
- Attention is paid to room acoustics in the auditoriums
- Occasionally there are performances with surtitles in German or English
- Lift foyer and Schauraum: pressing the push buttons (inside and outside) and the emergency call is visibly confirmed
- Visual alarm: flashing light only for porter's lodge and outside the building
- Tables with glare-free lighting also available in the café

INFORMATION FOR ALLERGY SUFFERERS

- **Dust-prone carpets available**
- at the bar and in the café also offers for food allergy sufferers

As at November 2024. All information without guarantee

Source: http://www.bereit-fuer-barrierefreiheit.eu/de/Betriebe/?xt=CEDOSCheckResults&xtMethod=showDataset&cat_id=1605&tobj_id=2786

Photos: Graz Tourismus - Harry Schiffer, Bühnen Graz, Lex Karelly